

RAYCHEM | RAYCHEM MXSU

TE Internal #: 124108-000

Inline Joint, ≤ 36 kV, 150 – 300 mm² Conductor, 1 Core, Polymeric,

Wire Cable Shield, RAYCHEM MXSU

View on TE.com >



Energy & Power > Power Cable Accessories > Joints & Splices > Heat Shrink Cable Joints 12-42 kV



Installation Technology: Heat Shrink

Product Availability: Americas, Asia, Australia, New Zealand & Pacific Islands, China, Europe, Middle East & Africa

Installation Instruction: English

Joints & Splice Product Type: Inline Joint

Voltage Class: ≤ 36 kV

All Heat Shrink Cable Joints 12-42 kV (80)

Features

Product Type Features

Power Component Options	Mechanical Connectors Included
Installation Technology	Heat Shrink
Joints & Splice Product Type	Inline Joint
Cable Shield Style	Wire

Configuration Features

Number of Cores		1	

Electrical Characteristics

Voltage Class	≤ 36 kV
---------------	---------

Body Features

Insulation Material	Polymeric
---------------------	-----------

Dimensions

Compatible Conductor Cross-Section Range	150 – 300 mm²
Compatible Insulation Diameter Range	31.1 – 39.6 mm[1.22 – 1.55 in]
Compatible Cable Cross-Section - Main (Max)	300 mm²
Compatible Cable Cross-Section - Main (Min)	150 mm²
Compatible Conductor Diameter Range	13.9 – 21.6 mm[.547 – .85 in]



Sheath Outside Diameter 38 – 53 mm[1.49 – 2.08 in]
--

Industry Standards	
Compatible With Approved Standards Products	HD CENELEC 629.1
Product Availability	
Product Availability	Americas, Asia, Australia, New Zealand & Pacific Islands, China, Europe, Middle East & Africa
Packaging Features	
Packaging Quantity	1
Other	

English

Product Compliance

Installation Instruction

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Not Compliant
EU ELV Directive 2000/53/EC	Not Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2025 (247) Candidate List Declared Against: JAN 2025 (247) SVHC > Threshold: Pb (1.5% in 74023549) Orange lead (1.5% in Component Part) Article Safe Usage Statements: Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	BFR/CFR/PVC Free, but Br/Cl >900 ppm in other sources.
Solder Process Capability	Not applicable for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach



Compatible Parts






















Also in the Series | RAYCHEM MXSU



Customers Also Bought




















Documents

Product Drawings

MXSU-6131

English

Datasheets & Catalog Pages

MXSU JOINTING SYSTEM

English